C6W

Pan & Tilt Wi-Fi Camera

The décor that protects your home.

エレガントで用途の広いC6Wカメラは、大きな家に必要なすべての保護機能です。 2Kの解像度で記録し、4倍ズームで動きを自動的に追跡して、目を逃がさないようにします。

- 4MP 2K解像度
- 自動ズーム トラッキング
- 人の検出
- 360°パノラマ ビュー
- True-WDR
- 最大10mの 赤外線暗視
- プライバシーシャッター
- 双方向トーク
- H.265 ビデオテクノロジー
- 最大256GBの MicroSDカード
- EZVIZCloudPlay ストレージ

※セキュリティデザインでは録画に使用する
マイクロSDカードは産業用を推奨しております。

隅々まで2Kの解像度で記録します

小型ながら強力なカメラは、2K解像度で画像を記録し、4倍のデジタルズームでも鮮明なディテールを表現します。



人の動きに合わせた自動ズームモーショントラッキング

オートズームトラッキング機能を有効にすると、最大4倍まで自動でズームして動いている物体を追跡するので、ライブビューイング時に何が起こっているのかを簡単に伝えることができます。アプリ内では、人間らしい動きをトラッキングするオプションも用意されています。

全体をカバー

C6Wカメラ1台で隅々まで監視。360度の広大な視野角を確保しているので、何も見逃すことはありません。

True-WDRで
クリアな画像を実現

C6Wカメラは、センサーベースのTrue-WDR技術を採用しており、コントラストの高いシーンでの露出過多や露出不足を解消し、夜明けから夕暮れまで均一に明るい画像を提供します。

C6W True-WDR

Digital WDR

双方向トーク

EZVIZアプリを使って、外出先から自宅に電話をかけることができます。通常の電話と同じように、双方がお互いに話したり聞いたりできるようになり、双方向の会話ができるようになりました。



暗闇でも鮮明に

C6Wカメラは、2つの強力な赤外線ライトを使用して、10メートル先までの夜間の鮮明な画像を表示します。昼間の視界と夜間の視界を自動的に切り替えることができ、自宅や持ち物が24時間365日保護されているので安心できます。

H.265ビデオ圧縮

このカメラは、先進のH.265ビデオ圧縮技術を搭載しており、従来のH.264ビデオ圧縮規格の半分の帯域幅と半分のストレージ容量で、より優れたビデオ品質を実現しています。



データとプライバシーを保護します

お客様のデータとプライバシーを保護することは、私たちの最優先事項です。カメラとEZVIZクラウドの間のデータ転送は端から端まで暗号化されています。あなただけがデータを復号化する鍵を持っています。



Specifications Model CS-C6W-A0-3H4WF

Camera

Image Sensor	1/2.7" Progressive Scan CMOS
Shutter Speed	Self-adaptive shutter
Lens	4mm@ F2.0, view angle: 83° (Horizontal), 57° (Vertical), 104° (Diagonal)
PT Angle	Pan: 340°, Tilt: 75°
Minimum Illumination	0.5 Lux @ (F2.0, AGC ON), 0 Lux with IR
Lens Mount	M12
Day & Night	IR-cut filter with auto-switching
DNR	3D DNR
WDR	True-WDR
BLC	Supports
Night Vision	10m

Video & Audio

Max. Resolution	2560 × 1440
Frame Rate	Max: 25fps; Self-Adaptive during network transmission
Video Compression	H.265 / H.264
Video Bit Rate	Ultra-HD; HD; Standard. Adaptive bit rate.
Audio Bit Rate	Self-Adaptive
Max. Bitrate	4Mbps

Storage

Local Storage	MicroSD card slot (Max. 256G)
Cloud Storage	EZVIZ Cloud Storage

Network

Wi-Fi Standard	IEEE802.11b, 802.11g, 802.11n
Frequency Range	2.412 GHz ~ 2.472 GHz
Channel Bandwidth	Supports 20MHz
Security	64/128-bit WEP, WPA/WPA2, WPA-PSK/WPA2-PSK
Transmission Rate	11b: 11Mbps, 11g : 54Mbps, 11n: 72Mbps
Wi-Fi Pairing	AP pairing
Protocol	EZVIZ cloud proprietary protocol
Interface Protocol	EZVIZ cloud proprietary protocol
Wired Network	RJ45 × 1 (10M/100M Adaptive Ethernet Port)

General

Operating Conditions	-10°C ~ 45°C (14°F to 113 °F), Humidity 95% or less (non-condensing)
Power Supply	DC 5V / 2A
Power Consumption	MAX. 8W
Dimensions	95.8 x 95.8 x 90.6 mm (3.77 x 3.77 x 3.57 inch)
Packaging Dimensions	126 x 126 x 160 mm (4.96 x 4.96 x 6.30 inch)
Net Weight	252 g (8.89 oz)
Weight	513 g (1.13 oz)

Function

Smart Alarm	AI Person Detection
Customized Alert Area	Supports
Two-Way Talk	Supports
General Function	Anti-Flicker, Dual-Stream, Heart Beat, Mirror Image, Password Protection, Watermark

In the box:

- C6W Camera
- 3-Meter Power Cable
- Power Adapter
- Drill Template
- Base
- Screw Kit
- Regulatory Information
- Quick Start Guide

Certifications:

CE / WEEE / REACH / RoHS / FCC / UL

Specifications are subject to change without notice. " ™ ", " EZVIZ™ " and other EZVIZ's trademarks and logos are the properties of EZVIZ in various jurisdictions. Other brands and product names are trademarks or registered trademarks of their respective holders.

https://www.ezvizlife.com/